



TECHNICAL DATA SHEET OVERVIEW

Cinco Brick

Dimensions (mm): 90 X 92 X Variable (194 to 397)

Approximate weight: Variable: From 3.5 to 7.2 kg

Range Colours: Newport grey, Amboise beige, Amber beige, Margaux beige, Chambord grey, Scandina Grey, Lennox grey, Grey & Black

Finish: Lightly embossed texture (natural stone appearance)

Physical properties:		CSA Standard (A 165.2)	Permacon Standard
Compressive strength	(MPa):	25	25
Dry density	(kg/m ³):	2000	2200
Water absorption	(%):	8	6
Fire rating (According to NBC)		0.80 hour	

Size tolerances

Height: ± 2 mm
Length and width: ± 2 mm
Deflection (max): 1 mm

Standards

CSA A165.2 Concrete Brick (Quality 1)

Technical services

Technical support provided by Permacon's representatives and engineering department.

Product samples available upon request to your sales rep.

Test report available upon request. This report is issued after testing done by our laboratory engineers and technicians.

For information about the LEED certification program, please contact your representative or Permacon's engineering department.